AMENDED

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Data of filing in State Engineer's Office	JAN 1 0 1989
-	FFR () 9 1989
Returned to applicant for correction	MAR 1 0 1989
Corrected application filed	MAR 1 0 1990
Map filed	
The applicant PETE & SHEILA BERTO	OLINO
P.O. BOX 693	, of, City or Town
	, hereby make application for permission to appropriate the public
	d. (If applicant is a corporation, give date and place of incorporation; if a
	nbers.)
copartions of association, give names of men	
=	
1. The source of the proposed appropriation is.	Spring Source Name of stream, lake, spring, underground or other source
2. The amount of water applied for is	C.f.S. second-feet One second-foot equals 448.83 gals, per min.
	e-feet
3. The water to be used for domestic &	stockwatering purposes on, power, mining, manufacturing, domestic, or other use. Must limit to one use.
4. If use is for:	in, power, mining, manufacturing, domestic, of other use. Must man to one use.
(a) Irrigation, state number of acres to be im	rigated
(b) Stockwater, state number and kinds of ar	nimals to be watered 20 CATTLE, 10 HORSES
·	. Remarks'')
(d) Power:	,
•	
• •	
	at the following point. IN THE SE¼ NE¼ of Section 5, T. Describe as being within a 40-acre subdivision of public ce the NE CORNER of said Section 5 bears N. 11°
survey, and by course and distance to a section corner. If on u	insurveyed land, it should be so stated.
34'54"E., 1,613.25 feet distar	
6. Place of use III the Swa Nwa UT Se Describe to	ection 4, T. 8N., R. 42E., M.D.B.&M. by legal subdivision. If on unsurveyed land, it should be so stated.
	DECEMBED 21-4
7. Use will begin about JANUARY 1st Month and Day	and end about DECEMBER 31st , of each year. Month and Day
	provisions of NRS 535.010 you may be required to submit plans and
specifications of your diversion or storage w	vorks.) To develop spring and pipe to the place State manner in which water is to be diverted, i.e. diversion structure, ditches and
of use. flumes, drilled well with pump and motor, etc.	
	0

10.	Estimated time required to construct works Works are complete. If well completed, describe works.
11.	Estimated time required to complete the application of water to beneficial use
12.	Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.
	A 4" perforated pipe at spring box has been installed, and water is diverted
	through 281.0' of the 4" pipe line to a sump at the pump house and place of use
	for delivery to homesite through a pressure system. Water over flows through
	natural ditch for stockwatering purposes.
	/s/ Wallace T ₂₄ Boundy By TONOPAH, NEVADA 89049
Con	npared kh/ ps
	ested
Pro	ested
	DENIAL OF STATE ENGINEER
	deny This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following tations and conditions:
The	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to
exce	edcubic feet per second
Wor	k must be prosecuted with reasonable diligence and be completed on or before
Proc	of of completion of work shall be filed on or before
App	lication of water to beneficial use shall be made on or before
Proc	of of the application of water to beneficial use shall be filed on or before
Мар	in support of proof of beneficial use shall be filed on or before
Com	pletion of work filed
Proo	State Engineer of Nevada, have hereunto set my hand and the seal of my f of beneficial use filed
Cultı	office, this8th day of June,
Certi	ficate No
	State Engineer